

| SURFACE TYPE | STAIN-PROOF, METACREME, INTENSIFIA | | DRY-TREAT 40SK | |
|--|------------------------------------|------------------|---------------------|--------------------|
| | sq ft/quart | sqm/quart | sq ft/quart | sqm/quart |
| Basalt - Porous (Chinese) | 70 | 7 | N/A | |
| Basalt - Dense (European) | 120 | 12 | N/A | |
| Bluestone (Australian Basalt) | 100 | 10 | N/A | |
| Bluestone (USA) | 60 | 6 | 50 | 5 |
| Brick | 60 | 6 | 60 (not face brick) | 6 (not face brick) |
| Poured Concrete Dense | 70 | 7 | N/A | |
| Poured Concrete Medium | 70 | 7 | 60 | 6 |
| Concrete Paver (dry pressed) | 40 | 4 | 40 | 4 |
| Concrete Paver (wet cast) | 70 | 7 | 60 | 6 |
| Coral Stone | 50 | 5 | 50 | 5 |
| Granite Flamed | 60 | 6 | N/A | |
| Granite Honed | 80 | 8 | N/A | |
| Granite Polished | 120 | 12 | N/A | |
| Grout Lines | 300 linear feet | 90 linear metres | 300 linear feet | 90 linear metres |
| Limestone Honed - Dense | 70 | 7 | 60 | 6 |
| Limestone Honed - Porous | 50 | 5 | 50 | 5 |
| Limestone Polished | 100 | 10 | N/A | |
| Limestone around salt water | N/A | | Dip seal | |
| Marble Honed | 100 | 10 | N/A | |
| Marble Polished | 150 | 15 | N/A | |
| Porcelain - Honed and Polished | 150 | 15 | N/A | |
| Quartzite | 100 | 10 | N/A | |
| Saltillo | 50 | 5 | 50 | 5 |
| Sandstone (Indian, hard) | 70 | 7 | 60 | 6 |
| Sandstone (soft) | 40 | 4 | 40 | 4 |
| Sandstone around salt water | N/A | | Dip seal | |
| Slate - Dense black | 120 | 12 | N/A | |
| Slate | 70 | 7 | N/A | |
| Terracotta dense | 70 | 7 | N/A | |
| Terracotta porous | 50 | 5 | 50 | 5 |
| Terrazzo | 100 | 10 | N/A | |
| Travertine honed | 70 | 7 | 60 | 6 |
| Travertine polished | 100 | 10 | N/A | |
| Travertine around salt water | N/A | | Dip seal | |
| Victorian Encaustic Tile - medium porosity | 70 | 7 | N/A | |
| Victorian Encaustic Tile - very porous | 40 | 4 | N/A | |

Please Note: The information above is a rough guide only. All of the materials listed can vary in their porosity (absorbency). Always advise customers to test product on an inconspicuous area or a sample piece prior to full application.