

CORAL REEF WHITE




Coral Reef White is a very dense material, making it an ideal choice for interior or exterior applications. Being a shell stone, it is cool to the touch regardless of the sun exposure it endures.

The density of this product and the few holes if any, allows it to stay clean and not attract mold or mildew in exterior applications once sealed properly. Each installation is unique to itself, and subtly brings the beauty and warmth of an off-white shade to the project.



Suitable for residential and commercial applications, this has become a fan favorite for countless installations around the United States.

SIZE FORMATS





TILE SIZES

12"x24"x3/4"
18"x18"x3/4"
18"x36"x3/4"
24"x24"x3/4"
24"x48"x3/4"
36"x36"x3/4"
4 pc pattern 3/4"

PAVER SIZES

12"x24"x1-1/4"
18"x36"x1-1/4"
24"x24"x1-1/4"
24"x48"x1-1/4"
36"x36"x1-1/4"

Brushed

or

Honed / Unfilled

SLAB SIZES

SLABS

60"x100"x3/4"
60"x100"x1-1/4"
60"x100"x1-1/2"

Brushed
or
Honed / Unfilled



Coral Classics by A&P stocks both Brushed and Honed & Filled finishes in the tile format (3/4" material). Paver thickness (1 ¼") is stocked in Brushed only. Any other finish can be done with proper lead time. Please see sizing of material below. (Refer to Sealer Page)

ARCHITECTURAL PRODUCTS



Coral Reef White can be fabricated into fireplaces columns, window and door surrounds, 3D designs, convex and concave pieces, and more.

SEALING



Coral Reef White being a dense stone can remain clean and not attract mold/mildew in exterior applications once it has been sealed. Coral Classics by A&P, recommends "Premium Impregnating Sealer by Dry Treat" for all flooring, interior or exterior and "40SK Consolidator & Water Repellent by Dry Treat" for cladding applications. (Refer to Sealer Page)

